

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: DURAHIT® WP300**
- **Article number:** 2295/E
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Construction chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Egyptian German for Concrete Technology  
Ha-Be Egypt SAE  
Badr City, 2nd Industrial Zone, Plot No. 2/103  
(Al Rubiky - Suez Road)  
Cairo, Egypt
- **Further information obtainable from:** office.egypt@ha-be.com
- **Emergency telephone number:**  
+202 2860 6153  
+202 2860 6154  
Only available during office hours.

## 2 Hazards identification

- **Classification of the substance or mixture**



corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

potassium hydroxide  
triisobutyl phosphate

- **Hazard statements**

Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

- **Precautionary statements**

Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

(Contd. of page 1)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a POISON CENTER/doctor.  
 Specific treatment (see on this label).  
 Take off contaminated clothing and wash it before reuse.  
 If skin irritation or rash occurs: Get medical advice/attention.  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

### - Dangerous components:

143-07-7	Lauric acid	☠ Eye Dam. 1, H318	2.5-10%
126-71-6	triisobutyl phosphate	⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	2.5-10%
1310-58-3	potassium hydroxide	☠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302	≤2.5%

## 4 First aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
 Supply fresh air and to be sure call for a doctor.  
 In case of unconsciousness place patient stably in side position for transportation.  
 Supply fresh air; consult doctor in case of complaints.  
 Take affected persons into fresh air and keep quiet.
- **After skin contact:**  
 Immediately wash with water and soap and rinse thoroughly.  
 If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
 No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
 No further relevant information available.

## 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

EGY

(Contd. on page 3)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

(Contd. of page 2)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

### 1310-58-3 potassium hydroxide

WEL (Great Britain)	Short-term value: 2 mg/m <sup>3</sup>
REL (USA)	Ceiling limit: 2 mg/m <sup>3</sup>
TLV (USA)	Ceiling limit: 2 mg/m <sup>3</sup>

- **Regulatory information**  
WEL (Great Britain): EH40/2020  
REL (USA): Guide to Occupational Exposure Values (NIOSH RELs)  
TLV (USA): Guide to Occupational Exposure Values (TLV)
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

(Contd. on page 4)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

(Contd. of page 3)

**- Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**- Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**- Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**- Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**- Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

**- Information on basic physical and chemical properties**

**- General Information**

**- Appearance:**

**Form:** Fluid

**Colour:** Colourless

**- Odour:** Characteristic

**- Odour threshold:** Not determined.

**- pH-value at 20 °C:** 13

**- Change in condition**

**Melting point/freezing point:** Undetermined.

**Initial boiling point and boiling range:** Undetermined.

**- Flash point:** Not applicable.

**- Flammability (solid, gas):** Not applicable.

**- Decomposition temperature:** Not determined.

**- Explosive properties:** Product does not present an explosion hazard.

**- Explosion limits:**

**Lower:** Not determined.

**Upper:** Not determined.

**- Vapour pressure:** Not determined.

**- Density at 20 °C:** 1.01 g/cm<sup>3</sup>

**- Vapour density:** Not determined.

**- Evaporation rate:** Not determined.

(Contd. on page 5)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

(Contd. of page 4)

- **Solubility in / Miscibility with water:** Partly miscible.
- **Partition coefficient: n-octanol/water:** Not determined.
- **Viscosity:**
  - Dynamic:** Not determined.
  - Kinematic:** Not determined.
- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Possible in traces.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**
- **Primary irritant effect:**
- **Skin corrosion/irritation** Caustic effect on skin and mucous membranes.
- **Serious eye damage/irritation** Strong caustic effect.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Corrosive  
Irritant  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** LC50 (96h) = 2,6 mg/L (Oncorhynchus mykiss) (ECHA)
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 6)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleaning agents.

## 14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA** UN1814
- **UN proper shipping name**
- **ADR** 1814 POTASSIUM HYDROXIDE SOLUTION
- **IMDG, IATA** POTASSIUM HYDROXIDE SOLUTION
- **Transport hazard class(es)**
- **ADR, IMDG, IATA**



- **Class** 8 Corrosive substances.
- **Label** 8
- **Packing group**
- **ADR, IMDG, IATA** III
- **Environmental hazards:**
- **Marine pollutant:** No
- **Special precautions for user** Warning: Corrosive substances.
- **Hazard identification number (Kemler code):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** (SGG18) Alkalis
- **Stowage Category** A
- **Segregation Code** SG35 Stow "separated from" SGG1-acids
- **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **ADR**
- **Limited quantities (LQ)** 5L
- **Excepted quantities (EQ)** Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml
- **Transport category** 3
- **Tunnel restriction code** E
- **IMDG**
- **Limited quantities (LQ)** 5L

(Contd. on page 7)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

Trade name: **DURAHIT® WP300**

- Excepted quantities (EQ)

Code: E1

(Contd. of page 6)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

- UN "Model Regulation":

UN 1814 POTASSIUM HYDROXIDE SOLUTION, 8, III

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

- Hazard pictograms



GHS05 GHS07

- Signal word Danger

- Hazard-determining components of labelling:

potassium hydroxide

triisobutyl phosphate

- Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

- Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The above information describes exclusively the safety requirements of the product(s) and is based on our present-day knowledge. It does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. Properties of the product are to be found in the respective product leaflet.

- Relevant phrases

H302 Harmful if swallowed.

(Contd. on page 8)

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.08.2024

Version number 1.00

Revision: 13.08.2024

**Trade name: DURAHIT® WP300**

(Contd. of page 7)

H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.

**- Contact:****- Abbreviations and acronyms:**

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EGY